


## LISTING OF CLAIMS

Claims 1-63 (canceled)

64. (currently amended) A compound of Formula (V):



or a pharmaceutically acceptable salt, solvate, hydrate or N-oxide thereof wherein:

R<sup>2</sup> is C<sub>1</sub>-C<sub>6</sub> alkyl with at least one hydrogen atom replaced by a substituent selected from the group consisting of -NR<sup>6</sup>R<sup>7</sup>, -OR<sup>8</sup>, -CO<sub>2</sub>R<sup>9</sup>, -S(O)<sub>2</sub>R<sup>10</sup>, -P(OR<sup>11</sup>)OR<sup>12</sup>, aryl and substituted aryl;

R<sup>4</sup> is hydrogen, alkyl or substituted alkyl;

R<sup>6</sup>, R<sup>7</sup>, R<sup>8</sup>, R<sup>9</sup>, R<sup>10</sup>, R<sup>11</sup> and R<sup>12</sup> are independently selected from the group consisting of hydrogen, acyl, substituted acyl, acyl chelate, alkyl, substituted alkyl, cycloalkyl, substituted cycloalkyl, imino and substituted imino;

R<sup>29</sup> is C<sub>1</sub>-C<sub>6</sub> alkyl with at least one hydrogen atom ~~replac~~ replaced by -NHR<sup>32</sup>;

R<sup>30</sup> is acyl, substituted acyl, alkyl, substituted alkyl or a therapeutic agent;

R<sup>31</sup> is hydrogen, alkyl, substituted alkyl or a therapeutic agent;

R<sup>32</sup> is hydrogen, acyl, substituted acyl, alkyl, substituted alkyl or a therapeutic agent;

j and k are independently 0 or 1;


p and q are independently an integer between 0 and 100;

r and s are independently 0 or 1;


X<sub>1</sub> is -NH(C=C)<sub>g</sub>CO-, -NH(CH<sub>2</sub>)<sub>h</sub>CO- or -NHCH(CH<sub>3</sub>)CO;

g and h are independently 1, 2, 3, 4, 5 or 6;


X<sub>2</sub> is



X<sub>3</sub> is




X<sub>4</sub> is



l is an integer from 1 to 4;

X<sub>5</sub> is




R<sup>13</sup> is hydrogen, alkyl, substituted alkyl, acyl, substituted acyl, arylalkyl, substituted arylalkyl, aryl or substituted aryl or -S(O)<sub>x</sub>R<sup>14</sup>;

n is an integer from 1 to 5;

x and y are independently 0, 1 or 2;

R<sup>14</sup> is alkyl, substituted alkyl, acyl, substituted acyl, arylalkyl, substituted arylalkyl, aryl or substituted aryl;

X<sub>6</sub> is



m is an integer from 1 to 4;

X<sub>7</sub> is -NH(C=C)<sub>d</sub>CO-, -NH(CH<sub>2</sub>)<sub>e</sub>CO- or -NHCH(CH<sub>3</sub>)CO; and

d and e are independently 1, 2, 3, 4, 5 or 6

j, k, p, q, r, s, R<sup>2</sup>, X<sub>1</sub>, X<sub>2</sub>, X<sub>3</sub>, X<sub>4</sub>, X<sub>5</sub>, X<sub>6</sub>, X<sub>7</sub> and R<sup>4</sup> and R<sup>5</sup> are as defined in Claim 1;

with the proviso that at least one of R<sup>30</sup>, R<sup>31</sup> and R<sup>32</sup> is a therapeutic agent.


65. (currently amended) The compound of Claim 64, wherein ~~R<sup>2</sup>, X<sub>1</sub>, X<sub>2</sub>, X<sub>3</sub>, X<sub>4</sub>, X<sub>5</sub>, X<sub>6</sub>, X<sub>7</sub> and R<sup>4</sup> are as defined in Claim 12~~

R<sup>2</sup> is C<sub>1</sub>-C<sub>4</sub> alkyl with at least one hydrogen atom replaced by a substituent selected from the group consisting of -NR<sup>6</sup>R<sup>7</sup>, aryl and substituted aryl;


R<sup>4</sup> is hydrogen;

X<sub>1</sub> is -NH(CH<sub>2</sub>)<sub>n</sub>CO-;


X<sub>2</sub> is




X<sub>4</sub> is



X<sub>5</sub> is



X<sub>6</sub> is



\_\_\_\_\_ X<sub>7</sub> is -NH(CH<sub>2</sub>)<sub>e</sub>CO-.

66. (original) The compound of Claim 65, wherein R<sup>13</sup> is methyl or acetyl, s is 0, r is 0, R<sup>30</sup> is acetyl and R<sup>31</sup> is a therapeutic agent.

67. (original) The compound of Claim 66, wherein the therapeutic agent is doxorubicin.

68. (currently amended) The compound of Claim 65, wherein  $R^{13}$  is methyl or hydrogen, s is 0,

r is 1, k is 1, e is 1, q is 2,  $R^{30}$  is acetyl,  $R^{31}$  is hydrogen, and  $R^{29}$  is  $-(CH)_4NHR^{32}$ .

69. (original) The compound of Claim 68, wherein the  $R^{32}$  is  $-CO(CH_2)_3$ -doxorubicin.

70. (original) The compound of Claim 68, wherein  $R^{32}$  is protoporphyrin.

Claims 71-74 (canceled)